



# ต้นสัญญา

5000147842

5000147843

## สัญญาซื้อขาย

สัญญาเลขที่ ๓๐๐๐๕๓๑๘

สัญญาฉบับนี้ทำขึ้น ณ มหาวิทยาลัยศรีนครินทรวิโรฒ เลขที่ ๑๑๔ ถนนสุขุมวิท ๒๓ แขวงคลองเตยเหนือ เขตวัฒนา กรุงเทพมหานคร เมื่อวันที่ ๓๐ พฤษภาคม ๒๕๖๗ ระหว่างมหาวิทยาลัยศรีนครินทรวิโรฒ โดย นายวรวิฑูร เหล็กหมื่นไวย ผู้อำนวยการสำนักงานอธิการบดี ผู้รับมอบอำนาจจากอธิการบดีมหาวิทยาลัยศรีนครินทรวิโรฒ ซึ่งต่อไปในสัญญานี้เรียกว่า “ผู้ซื้อ” ฝ่ายหนึ่ง กับ บริษัทแคนนอน มาร์เก็ตติ้ง (ไทยแลนด์) จำกัด ซึ่งจดทะเบียนเป็นนิติบุคคล ณ สำนักงานทะเบียนหุ้นส่วนบริษัทกลาง กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์ มีสำนักงานใหญ่อยู่เลขที่ ๙๘ อาคารสาทร สแควร์ ออฟฟิศ ทาวเวอร์ ชั้น ๒๒-๒๔ ถนนสาทรเหนือ แขวงสีลม เขตบางรัก กรุงเทพมหานคร โดย นายพงศกร กรองทอง ผู้รับมอบอำนาจจากผู้มีอำนาจลงนามผูกพันนิติบุคคลปรากฏตามหนังสือรับรองของสำนักงานทะเบียนหุ้นส่วนบริษัทกลาง กรมพัฒนาธุรกิจการค้า กระทรวงพาณิชย์ที่ สจ.๖ ๐๐๔๑๔๘ ลงวันที่ ๓๐ เมษายน ๒๕๖๗ หนังสือมอบอำนาจ POA.(A)๐๑/๒๐๒๔ ลงวันที่ ๑ มกราคม ๒๕๖๗ และหนังสือมอบอำนาจช่วง POA.๖๒/๒๐๒๔ ลงวันที่ ๓๐ พฤษภาคม ๒๕๖๗ แนบท้ายสัญญานี้ซึ่งต่อไปในสัญญานี้เรียกว่า “ผู้ขาย” อีกฝ่ายหนึ่ง

คู่สัญญาได้ตกลงกันมีข้อความดังต่อไปนี้

### ข้อ ๑ ข้อตกลงซื้อขาย

ผู้ซื้อตกลงซื้อและผู้ขายตกลงขายเครื่องถ่ายเอกสารระบบดิจิทัล (ขาว-ดำ และสี) ความเร็วไม่น้อยกว่า ๔๐ แผ่น/นาที ยี่ห้อ แคนนอน รุ่น iR-ADV DX C๕๘๔๐i จำนวน ๑ เครื่อง เป็นราคาทั้งสิ้น ๒๓๕,๔๐๐.๐๐ บาท (สองแสนสามหมื่นห้าพันสี่ร้อยบาทถ้วน) ซึ่งได้รวมภาษีมูลค่าเพิ่มจำนวน ๑๕,๔๐๐.๐๐ บาท (หนึ่งหมื่นห้าพันสี่ร้อยบาทถ้วน) ตลอดจนภาษีอากรอื่นๆ และค่าใช้จ่ายทั้งปวงด้วยแล้ว

### ข้อ ๒ การรับรองคุณภาพ

ผู้ขายรับรองว่าสิ่งของที่ขายให้ตามสัญญานี้เป็นของแท้ ของใหม่ ไม่เคยใช้งานมาก่อน ไม่เป็นของเก่าเก็บ และมีคุณภาพและคุณสมบัติไม่ต่ำกว่าที่กำหนดไว้ในเอกสารแนบท้ายสัญญาผนวก ๑ ในกรณีที่เป็นการซื้อสิ่งของซึ่งจะต้องมีการตรวจสอบ ผู้ขายรับรองว่า เมื่อตรวจสอบแล้วต้องมีคุณภาพและคุณสมบัติไม่ต่ำกว่าที่กำหนดไว้ตามสัญญานี้ด้วย

### ข้อ ๓ เอกสารอันเป็นส่วนหนึ่งของสัญญา

เอกสารแนบท้ายสัญญาดังต่อไปนี้ให้ถือเป็นส่วนหนึ่งของสัญญานี้

๓.๑ ผนวก ๑ รายละเอียดคุณลักษณะเฉพาะ จำนวน ๑๐ หน้า

๓.๒ ผนวก ๒ ใบเสนอราคา จำนวน ๑ หน้า

ความใดในเอกสารแนบท้ายสัญญาที่ขัดหรือแย้งกับข้อความในสัญญานี้ ให้ใช้ข้อความในสัญญานี้บังคับ และในกรณีที่เอกสารแนบท้ายสัญญาขัดแย้งกันเอง ผู้ขายจะต้องปฏิบัติตามคำวินิจฉัยของผู้ซื้อ คำวินิจฉัยของผู้ซื้อให้ถือเป็นที่สุด และผู้ขายไม่มีสิทธิเรียกร้องราคา ค่าเสียหาย หรือค่าใช้จ่ายใดๆ เพิ่มเติมจากผู้ซื้อทั้งสิ้น

ลงชื่อ.....ผู้ขาย



ลงชื่อ.....ผู้ซื้อ



#### ข้อ ๔ การส่งมอบ

ผู้ขายจะส่งมอบสิ่งของที่ซื้อขายตามสัญญาให้แก่ผู้ซื้อ ณ อาคารสำนักงานอธิการบดี ส่วนการคลัง ห้องงานพัสดุ ชั้น ๒ มหาวิทยาลัยศรีนครินทรวิโรฒ ประสานมิตร ภายในวันที่ ๑๔ มิถุนายน ๒๕๖๗ ให้ถูกต้องและครบถ้วนตามที่กำหนดไว้ในข้อ ๑ แห่งสัญญานี้ พร้อมทั้งหีบห่อหรือเครื่องรัดพันผูก โดยเรียบร้อย

การส่งมอบสิ่งของตามสัญญานี้ ไม่ว่าจะเป็นการส่งมอบเพียงครั้งเดียว หรือส่งมอบหลายครั้ง ผู้ขายจะต้องแจ้งกำหนดเวลาส่งมอบแต่ละครั้งโดยทำเป็นหนังสือนำไปยื่นต่อผู้ซื้อ ณ ส่วนบริหารงานกลาง อาคารสำนักงานอธิการบดี (อาคาร ๙) ชั้น ๓ มหาวิทยาลัยศรีนครินทรวิโรฒ ประสานมิตร ในวันและเวลาทำการของผู้ซื้อก่อนวันส่งมอบไม่น้อยกว่า ๓ (สาม) วันทำการของผู้ซื้อ

#### ข้อ ๕ การตรวจรับ

เมื่อผู้ซื้อได้ตรวจรับสิ่งของที่ส่งมอบและเห็นว่าถูกต้องครบถ้วนตามสัญญาแล้ว ผู้ซื้อจะออกหลักฐานการรับมอบเป็นหนังสือไว้ให้ เพื่อผู้ขายนำมาเป็นหลักฐานประกอบการขอรับเงินค่าสิ่งของนั้น

ถ้าผลของการตรวจรับปรากฏว่า สิ่งของที่ผู้ขายส่งมอบไม่ตรงตามข้อ ๑ ผู้ซื้อทรงไว้ซึ่งสิทธิที่จะไม่รับสิ่งของนั้น ในกรณีเช่นว่านี้ ผู้ขายต้องรับนำสิ่งของนั้นกลับคืนโดยเร็วที่สุดเท่าที่จะทำได้ และนำสิ่งของมาส่งมอบให้ใหม่ หรือต้องทำการแก้ไขให้ถูกต้องตามสัญญาด้วยค่าใช้จ่ายของผู้ขายเอง และระยะเวลาที่เสียไปเพราะเหตุดังกล่าวผู้ขายจะนำมาอ้างเป็นเหตุขอขยายเวลาส่งมอบตามสัญญาหรือของดหรือลดค่าปรับไม่ได้

ในกรณีที่ผู้ขายส่งมอบสิ่งของถูกต้องแต่ไม่ครบจำนวน หรือส่งมอบครบจำนวนแต่ไม่ถูกต้องทั้งหมด ผู้ซื้อจะตรวจรับเฉพาะส่วนที่ถูกต้อง โดยออกหลักฐานการตรวจรับเฉพาะส่วนนั้นก็ได้

#### ข้อ ๖ การชำระเงิน

ผู้ซื้อตกลงชำระเงินค่าสิ่งของตามข้อ ๑ ให้แก่ผู้ขาย เมื่อผู้ซื้อได้รับมอบสิ่งของตามข้อ ๕ ไว้โดยครบถ้วนแล้ว

การจ่ายเงินตามเงื่อนไขแห่งสัญญานี้ ผู้ซื้อจะโอนเงินเข้าบัญชีเงินฝากธนาคารของผู้ขาย ชื่อธนาคารกรุงเทพ จำกัด (มหาชน) สาขาลุมพินี ชื่อบัญชี บจ. แคนนอน มาร์เก็ตติ้ง (ไทยแลนด์) เลขที่บัญชี ๑๒๔-๐-๗๓๓๖๗-๓ ทั้งนี้ ผู้ขายตกลงเป็นผู้รับภาระเงินค่าธรรมเนียม หรือค่าบริการอื่นใดเกี่ยวกับการโอน รวมทั้งค่าใช้จ่ายใดๆ (ถ้ามี) ที่ธนาคารเรียกเก็บและยินยอมให้มีการหักเงินดังกล่าวจากจำนวนเงินโอนในงวดนั้นๆ

#### ข้อ ๗ การรับประกันความชำรุดบกพร่อง

ผู้ขายตกลงรับประกันความชำรุดบกพร่องหรือขัดข้องของสิ่งของตามสัญญานี้ เป็นเวลา ๑๒ เดือน นับถัดจากวันที่ผู้ซื้อได้รับมอบสิ่งของทั้งหมดไว้โดยถูกต้องครบถ้วนตามสัญญา โดยภายในกำหนดเวลาดังกล่าว หากสิ่งของตามสัญญานี้เกิดชำรุดบกพร่องหรือขัดข้องอันเนื่องมาจากการใช้งานตามปกติ ผู้ขายจะต้องจัดการซ่อมแซมหรือแก้ไขให้อยู่ในสภาพที่ใช้งานได้ดังเดิม ภายใน ๕ (ห้า) วัน นับถัดจากวันที่ได้รับแจ้งจากผู้ซื้อ โดยไม่คิดค่าใช้จ่ายใดๆ ทั้งสิ้น หากผู้ขายไม่จัดการซ่อมแซมหรือแก้ไขภายในกำหนดเวลาดังกล่าว ผู้ซื้อจะมีสิทธิที่จะทำการนั้นเองหรือจ้างผู้อื่นให้ทำการนั้น แทนผู้ขาย โดยผู้ขายต้องเป็นผู้ออกค่าใช้จ่ายเองทั้งสิ้น

ลงชื่อ.....



ผู้ขาย

ลงชื่อ.....

ผู้ซื้อ



ในกรณีเร่งด่วนจำเป็นต้องรีบแก้ไขเหตุชำรุดบกพร่องหรือขัดข้องโดยเร็ว และไม่  
อาจรอคอยให้ผู้ขายแก้ไขในระยะเวลาที่กำหนดไว้ตามวรรคหนึ่งได้ ผู้ซื้อที่มีสิทธิเข้าจัดการแก้ไขเหตุชำรุด  
บกพร่องหรือขัดข้องนั่นเอง หรือให้ผู้อื่นแก้ไขความชำรุดบกพร่องหรือขัดข้อง โดยผู้ขายต้องรับผิดชอบชำระ  
ค่าใช้จ่ายทั้งหมด

การที่ผู้ซื้อทำการนั้นเอง หรือให้ผู้อื่นทำการนั้นแทนผู้ขาย ไม่ทำให้ผู้ขายหลุดพ้น  
จากความรับผิดชอบตามสัญญา หากผู้ขายไม่ชดเชยค่าใช้จ่ายหรือค่าเสียหายตามที่ผู้ซื้อเรียกร้องผู้ซื้อที่มีสิทธิบังคับ  
จากหลักประกันการปฏิบัติตามสัญญาได้

#### ข้อ ๘ หลักประกันการปฏิบัติตามสัญญา

ในขณะที่ทำสัญญานี้ผู้ขายได้นำหลักประกันเป็นหนังสือค้ำประกันของธนาคารชুমิตโตโม  
มิตซุย แบงกิง คอร์ปอเรชั่น สาขากรุงเทพฯ เลขที่ GPB๐๕๔๔๗๕ ลงวันที่ ๓๐ พฤษภาคม ๒๕๖๗  
เป็นจำนวนเงิน ๑๑,๗๗๐.๐๐ บาท (หนึ่งหมื่นหนึ่งพันเจ็ดร้อยเจ็ดสิบบาทถ้วน) ซึ่งเท่ากับร้อยละ ๕ (ห้า)  
ของราคาทั้งหมดตามสัญญามอบไว้แก่ผู้ซื้อเพื่อเป็นหลักประกันการปฏิบัติตามสัญญานี้

กรณีผู้ขายใช้หนังสือค้ำประกันมาเป็นหลักประกันการปฏิบัติตามสัญญาหนังสือ  
ค้ำประกันดังกล่าวจะต้องออกโดยธนาคารที่ประกอบกิจการในประเทศไทย หรือโดยบริษัทเงินทุนหรือ  
บริษัทเงินทุนหลักทรัพย์ที่ได้รับอนุญาตให้ประกอบกิจการเงินทุนเพื่อการพาณิชย์และประกอบธุรกิจ  
ค้ำประกันตามประกาศของธนาคารแห่งประเทศไทย ตามรายชื่อบริษัทเงินทุนที่ธนาคารแห่งประเทศไทย  
แจ้งเวียนให้ทราบตามแบบที่คณะกรรมการนโยบายการจัดซื้อจัดจ้างและการบริหารพัสดุภาครัฐกำหนด  
หรืออาจเป็นหนังสือค้ำประกันอิเล็กทรอนิกส์ตามวิธีการที่กรมบัญชีกลางกำหนดก็ได้ และจะต้องมีอายุ  
การค้ำประกันตลอดไปจนกว่าผู้ขายพ้นข้อผูกพันตามสัญญานี้

หลักประกันที่ผู้ขายนำมามอบให้ตามวรรคหนึ่ง จะต้องมีอายุครอบคลุมความรับผิด  
ทั้งปวงของผู้ขายตลอดอายุสัญญานี้ ถ้าหลักประกันที่ผู้ขายนำมามอบให้ดังกล่าวลดลงหรือเสื่อมค่าลง  
หรือมีอายุไม่ครอบคลุมถึงความรับผิดของผู้ขายตลอดอายุสัญญา ไม่ว่าจะด้วยเหตุใดๆ ก็ตาม รวมถึงกรณี  
ผู้ขายส่งมอบสิ่งของล่าช้าเป็นเหตุให้ระยะเวลาส่งมอบหรือวันครบกำหนดความรับผิดในความชำรุดบกพร่อง  
ตามสัญญาเปลี่ยนแปลงไป ไม่ว่าจะเกิดขึ้นคราวใด ผู้ขายต้องหาหลักประกันใหม่หรือหลักประกันเพิ่มเติม  
ให้มีจำนวนครบถ้วนตามวรรคหนึ่งนำมามอบให้แก่ผู้ซื้อภายใน ๑๕ (สิบห้า) วัน นับถัดจากวันที่ได้รับแจ้ง  
เป็นหนังสือจากผู้ซื้อ


หลักประกันที่ผู้ขายนำมามอบไว้ตามข้อนี้ ผู้ซื้อจะคืนให้แก่ผู้ขายโดยไม่มีดอกเบี้ย  
เมื่อผู้ขายพ้นจากข้อผูกพันและความรับผิดทั้งปวงตามสัญญานี้แล้ว

ลงชื่อ.....



ผู้ขาย

ลงชื่อ.....



ผู้ซื้อ

### ข้อ ๙ การบอกเลิกสัญญา

ถ้าผู้ขายไม่ปฏิบัติตามสัญญาข้อใดข้อหนึ่ง หรือเมื่อครบกำหนดส่งมอบสิ่งของตามสัญญานี้แล้ว หากผู้ขายไม่ส่งมอบสิ่งของที่ตกลงขายให้แก่ผู้ซื้อหรือส่งมอบไม่ถูกต้อง หรือไม่ครบจำนวน ผู้ซื้อจะมีสิทธิบอกเลิกสัญญาทั้งหมดหรือแต่บางส่วนได้ การใช้สิทธิบอกเลิกสัญญานั้นไม่กระทบสิทธิของผู้ซื้อที่จะเรียกร้องค่าเสียหายจากผู้ขาย

ในกรณีที่ผู้ซื้อใช้สิทธิบอกเลิกสัญญา ผู้ซื้อจะมีสิทธิรับหรือบังคับจากหลักประกันตามข้อ ๘ เป็นจำนวนเงินทั้งหมดหรือแต่บางส่วนก็ได้ แล้วแต่ผู้ซื้อจะเห็นสมควร และถ้าผู้ซื้อจัดซื้อสิ่งของจากบุคคลอื่นเต็มจำนวนหรือเฉพาะจำนวนที่ขาดส่ง แล้วแต่กรณี ภายในกำหนด ๑๒ (สิบสอง) เดือนนับถัดจากวันบอกเลิกสัญญา ผู้ขายจะต้องชดใช้ราคาที่เพิ่มขึ้นจากราคาที่กำหนดไว้ในสัญญานี้ด้วย

### ข้อ ๑๐ ค่าปรับ

ในกรณีที่ผู้ซื้อมิได้ใช้สิทธิบอกเลิกสัญญาตามข้อ ๙ ผู้ขายจะต้องชำระค่าปรับให้ผู้ซื้อเป็นรายวันในอัตราร้อยละ ๐.๒๐ (ศูนย์จุดสองศูนย์) ของราคาสิ่งของที่ยังไม่ได้รับมอบนับถัดจากวันครบกำหนดตามสัญญาจนถึงวันที่ผู้ขายได้นำสิ่งของมาส่งมอบให้แก่ผู้ซื้อจนถูกต้องครบถ้วนตามสัญญา

การคิดค่าปรับในกรณีสิ่งของที่ตกลงซื้อขายประกอบกันเป็นชุด แต่ผู้ขายส่งมอบเพียงบางส่วน หรือขาดส่วนประกอบส่วนหนึ่งส่วนใดไปทำให้ไม่สามารถใช้การได้โดยสมบูรณ์ ให้ถือว่ายังไม่ได้ส่งมอบสิ่งของนั้นเลย และให้คิดค่าปรับจากราคาสิ่งของเต็มทั้งชุด

ในระหว่างที่ผู้ซื้อยังมีได้ใช้สิทธิบอกเลิกสัญญานั้น หากผู้ซื้อเห็นว่าผู้ขายไม่อาจปฏิบัติตามสัญญาต่อไปได้ ผู้ซื้อจะใช้สิทธิบอกเลิกสัญญาและรับหรือบังคับจากหลักประกันตามข้อ ๘ กับเรียกร้องให้ชดใช้ราคาที่เพิ่มขึ้นตามที่กำหนดไว้ในข้อ ๙ วรรคสองก็ได้ และถ้าผู้ซื้อได้แจ้งข้อเรียกร้องให้ชำระค่าปรับไปยังผู้ขายเมื่อครบกำหนดส่งมอบแล้ว ผู้ซื้อจะมีสิทธิที่จะปรับผู้ขายจนถึงวันบอกเลิกสัญญาได้อีกด้วย


### ข้อ ๑๑ การบังคับค่าปรับ ค่าเสียหาย และค่าใช้จ่าย

ในกรณีที่ผู้ขายไม่ปฏิบัติตามสัญญาข้อใดข้อหนึ่งด้วยเหตุใดๆ ก็ตาม จนเป็นเหตุให้เกิดค่าปรับ ค่าเสียหาย หรือค่าใช้จ่ายแก่ผู้ซื้อ ผู้ขายต้องชดใช้ค่าปรับ ค่าเสียหาย หรือค่าใช้จ่ายดังกล่าวให้แก่ผู้ซื้อโดยสิ้นเชิงภายในกำหนด ๑๕ (สิบห้า) วัน นับถัดจากวันที่ได้รับแจ้งเป็นหนังสือจากผู้ซื้อ หากผู้ขายไม่ชดใช้ให้ถูกต้องครบถ้วนภายในระยะเวลาดังกล่าวให้ผู้ซื้อจะมีสิทธิที่จะหักเอาจากจำนวนเงินค่าสิ่งของที่ซื้อขายที่ต้องชำระ หรือบังคับจากหลักประกันการปฏิบัติตามสัญญาได้ทันที

หากค่าปรับ ค่าเสียหาย หรือค่าใช้จ่ายที่บังคับจากเงินค่าสิ่งของที่ซื้อขายที่ต้องชำระหรือหลักประกันการปฏิบัติตามสัญญาแล้วยังไม่เพียงพอ ผู้ขายยินยอมชำระส่วนที่เหลือที่ยังขาดอยู่จนครบถ้วนตามจำนวนค่าปรับ ค่าเสียหาย หรือค่าใช้จ่ายนั้น ภายในกำหนด ๑๕ (สิบห้า) วัน นับถัดจากวันที่ได้รับแจ้งเป็นหนังสือจากผู้ซื้อ

หากมีเงินค่าสิ่งของที่ซื้อขายตามสัญญาที่หักไว้จ่ายเป็นค่าปรับ ค่าเสียหายหรือค่าใช้จ่ายแล้วยังเหลืออยู่อีกเท่าใด ผู้ซื้อจะคืนให้แก่ผู้ขายทั้งหมด

ลงชื่อ.....  


ลงชื่อ.....  


**ข้อ ๑๒ การงดหรือลดค่าปรับ หรือขยายเวลาส่งมอบ**

ในกรณีที่มิได้เกิดจากความผิดหรือความบกพร่องของฝ่ายผู้ซื้อ หรือเหตุสุดวิสัย หรือเกิดจากพฤติการณ์อันหนึ่งอันใดที่ผู้ขายไม่ต้องรับผิดชอบตามกฎหมาย หรือเหตุอื่นตามที่กำหนดกฎกระทรวงซึ่งออกตามความในกฎหมายว่าด้วยการจัดซื้อจัดจ้างและการบริหารพัสดุภาครัฐ ทำให้ผู้ขาย ไม่สามารถส่งมอบสิ่งของตามเงื่อนไขและกำหนดเวลาแห่งสัญญานี้ได้ ผู้ขายมีสิทธิของงดหรือลดค่าปรับ หรือขยายเวลาส่งมอบตามสัญญาได้ โดยจะต้องแจ้งเหตุหรือพฤติการณ์ดังกล่าวพร้อมหลักฐานเป็นหนังสือให้ผู้ซื้อทราบภายใน ๑๕ (สิบห้า) วัน นับถัดจากวันที่เหตุนั้นสิ้นสุดลง หรือตามที่กำหนดในกฎกระทรวงดังกล่าว

ถ้าผู้ขายไม่ปฏิบัติให้เป็นไปตามความในวรรคหนึ่ง ให้ถือว่าผู้ขายได้ละสิทธิเรียกร้องในการที่จะของดหรือลดค่าปรับหรือขยายเวลาส่งมอบตามสัญญา โดยไม่มีเงื่อนไขใดๆ ทั้งสิ้น เว้นแต่กรณีที่เกิดจากความผิดหรือความบกพร่องของฝ่ายผู้ซื้อซึ่งมีหลักฐานชัดเจนหรือผู้ซื้อทราบอยู่แล้วตั้งแต่นั้น

การงดหรือลดค่าปรับหรือขยายเวลาส่งมอบตามสัญญาตามวรรคหนึ่ง อยู่ในดุลพินิจของผู้ซื้อที่จะพิจารณาตามที่เห็นสมควร

**ข้อ ๑๓ การใช้เรือไทย**

ถ้าสิ่งของที่จะต้องส่งมอบให้แก่ผู้ซื้อตามสัญญานี้ เป็นสิ่งของที่ผู้ขายจะต้องสั่ง หรือนำเข้ามาจากต่างประเทศ และสิ่งของนั้นต้องนำเข้ามาโดยทางเรือในเส้นทางเดินเรือที่มีเรือไทยเดินอยู่ และสามารถให้บริการรับขนได้ตามที่รัฐมนตรีว่าการกระทรวงคมนาคมประกาศกำหนด ผู้ขายต้องจัดการให้สิ่งของดังกล่าวบรรทุกโดยเรือไทยหรือเรือที่มีสิทธิเช่นเดียวกับเรือไทยจากต่างประเทศมายังประเทศไทย เว้นแต่จะได้รับอนุญาตจากกรมเจ้าท่าก่อนบรรทุกของนั้นลงเรืออื่นที่มีใช้เรือไทยหรือเป็นของที่รัฐมนตรีว่าการกระทรวงคมนาคมประกาศยกเว้นให้บรรทุกโดยเรืออื่นได้ ทั้งนี้ ไม่ว่าการสั่งหรือนำเข้าสิ่งของดังกล่าวจากต่างประเทศจะเป็นแบบใด

ในการส่งมอบสิ่งของตามสัญญาให้แก่ผู้ซื้อ ถ้าสิ่งของนั้นเป็นสิ่งของตามวรรคหนึ่ง ผู้ขายจะต้องส่งมอบใบตราส่ง (Bill of Lading) หรือสำเนาใบตราส่งสำหรับของนั้น ซึ่งแสดงว่าได้บรรทุกมาโดยเรือไทยหรือเรือที่มีสิทธิเช่นเดียวกับเรือไทยให้แก่ผู้ซื้อพร้อมกับการส่งมอบสิ่งของด้วย

ในกรณีที่สิ่งของดังกล่าวไม่ได้บรรทุกจากต่างประเทศมายังประเทศไทย โดยเรือไทยหรือเรือที่มีสิทธิเช่นเดียวกับเรือไทย ผู้ขายต้องส่งมอบหลักฐานซึ่งแสดงว่าได้รับอนุญาตจากกรมเจ้าท่าให้บรรทุกของโดยเรืออื่นได้หรือหลักฐานซึ่งแสดงว่าได้ชำระค่าธรรมเนียมพิเศษเนื่องจากการไม่บรรทุกของโดยเรือไทยตามกฎหมายว่าด้วยการส่งเสริมการพาณิชย์แล้วอย่างใดอย่างหนึ่งแก่ผู้ซื้อด้วย

ในกรณีที่ผู้ขายไม่ส่งมอบหลักฐานอย่างใดอย่างหนึ่งดังกล่าวในวรรคสองและวรรคสาม ให้แก่ผู้ซื้อ แต่จะขอส่งมอบสิ่งของดังกล่าวให้ผู้ซื้อก่อนโดยยังไม่รับชำระเงินค่าสิ่งของผู้ซื้อที่มีสิทธิรับสิ่งของดังกล่าวไว้ก่อนและชำระเงินค่าสิ่งของเมื่อผู้ขายได้ปฏิบัติถูกต้องครบถ้วนดังกล่าวแล้วได้

ลงชื่อ.....



ผู้ขาย

ลงชื่อ.....



ผู้ซื้อ

สัญญาฉบับนี้ทำขึ้นเป็นสองฉบับ มีข้อความถูกต้องตรงกัน คู่สัญญาได้อ่านและเข้าใจข้อความ  
โดยละเอียดตลอดแล้ว จึงได้ลงลายมือชื่อพร้อมทั้งประทับตรา (ถ้ามี) ไว้เป็นสำคัญต่อหน้าพยานและคู่สัญญา  
ต่างยึดถือไว้ฝ่ายละหนึ่งฉบับ



(ลงชื่อ).....ผู้ซื้อ

(นายวรวิรุจ เหล็กหมื่นไวย)

(ลงชื่อ).....ผู้ขาย

(นายพงศกร กรองทอง)



(ลงชื่อ).....พยาน

(นางสาวสุพล นวนนุกุล)

(ลงชื่อ).....พยาน

(นางสาวเกวลิ ยูเต๊ะ)

เลขที่โครงการ ๖๗๐๕๙๑๑๙๙๔๗๘

เลขคู่มือสัญญา ๖๗๐๕๐๑๐๐๘๒๕๑

เอกสารแนบท้ายสัญญาซื้อขาย เลขที่ ๓๐๐๐๕๑๓๑๘ ลงวันที่ ๓๐ พฤษภาคม ๒๕๖๗

ผนวก ๑


รายละเอียดคุณลักษณะเฉพาะ

๑. รายละเอียดคุณลักษณะเฉพาะของมหาวิทยาลัย จำนวน ๓ หน้า  
๒. รายละเอียดคุณลักษณะเฉพาะของบริษัท จำนวน ๗ หน้า

ลงชื่อ.....



ลงชื่อ.....



รายละเอียดคุณลักษณะเฉพาะครุภัณฑ์เครื่องถ่ายเอกสาร ระบบดิจิทัล (ขาว-ดำ และสี) ความเร็วไม่น้อยกว่า 40 แผ่น/นาที จำนวน 1 เครื่อง

### ความเป็นมาและวัตถุประสงค์

เนื่องด้วยท่อน้ำภายในห้องถ่ายเอกสารของงานพัสดุ ส่วนการคลัง แตกชำรุดทำให้น้ำเข้าเครื่องถ่ายเอกสารหมายเลขครุภัณฑ์ 300000010226 ทำให้เครื่องชำรุดไม่สามารถใช้งานได้ และไม่คุ้มค่ากับการซ่อมแซม จึงต้องดำเนินการจัดซื้อเครื่องถ่ายเอกสารเพื่อใช้ในการปฏิบัติงาน

### 1. รายละเอียดคุณลักษณะเฉพาะ

1. เครื่องถ่ายเอกสารระบบดิจิทัลทำภาพด้วยระบบเลเซอร์ ระบบกระดาษธรรมดา ชนิดหมึกผง
2. เป็นของใหม่ไม่เคยใช้งานมาก่อนพร้อมใช้งานได้ทันที
3. เป็นระบบมัลติฟังก์ชันสามารถทำงานเป็นเครื่องพิมพ์เลเซอร์ และสแกนเนอร์สีผ่านระบบเครือข่ายได้
4. ความเร็วในการถ่ายเอกสาร/พิมพ์ขาวดำ และสี ไม่น้อยกว่า 40 แผ่น/นาที (A4)
5. ระยะเวลาพิมพ์ขาวดำแผ่นแรกไม่เกิน 5 วินาที ระยะเวลาพิมพ์สีแผ่นแรกไม่เกิน 7 วินาที
6. หน่วยประมวลผล(CPU) มีความเร็วไม่น้อยกว่า 1.6 GHz และมีหน่วยความจำ (Memory) ไม่น้อยกว่า 5 GB และมี Solid State Drive ไม่น้อยกว่า 256 GB
7. ความเร็วในการสแกน ไม่น้อยกว่า 220 หน้าต่อนาที (A4)
8. ความละเอียดในการถ่ายเอกสาร 600 x 600 จุดต่อนิ้ว ความละเอียดในการพิมพ์เอกสาร 1,200 x 1,200 จุดต่อนิ้ว
9. มีชุดป้องกันฉบับอัตโนมัติ แบบ Single-Pass 2 หัวสแกน SPDF หรือ DSPF หรือ DADF บรรจุกระดาษ ได้ครั้งละไม่น้อยกว่า 200 แผ่น พร้อมระบบกลับหน้าหลังอัตโนมัติ
10. ตั้งจำนวนการถ่ายเอกสารได้ 1 - 999 แผ่น หรือดีกว่า
11. มีถาดบรรจุกระดาษด้านหน้าไม่น้อยกว่า 2 ถาด สามารถบรรจุกระดาษได้ไม่น้อยกว่า 1,100 แผ่น พร้อมช่องป้อนมือด้านข้าง (bypass) 1 ถาด บรรจุกระดาษได้ไม่น้อยกว่า 100 แผ่น
12. มีระบบย่อ-ขยายเอกสารได้ 25% - 400%
13. รองรับน้ำหนักกระดาษได้ 52 ถึง 300 แกรม หรือดีกว่า
14. สามารถถ่ายต้นฉบับใหญ่สุดขนาด A3 สำเนาที่ได้ตั้งแต่ A5 - A3
15. หน้าจอควบคุมแบบสัมผัสแสดงผลเป็นสี ขนาดความกว้างไม่น้อยกว่า 10 นิ้ว สามารถปรับระดับหน้าจอ Panel ขึ้น ลง สามารถเลื่อนสไลด์ซ้าย ขวา ขึ้น ลง ได้
16. เป็นผลิตภัณฑ์ที่ได้รับเครื่องหมายฉลากเขียว (Thai Green Label) จากสถาบันสิ่งแวดล้อมไทย เอกสารดังกล่าวต้องไม่หมดอายุในวันที่เสนอราคา
17. ผู้ยื่นข้อเสนอต้องได้รับการแต่งตั้งให้เป็นตัวแทนจำหน่ายจากผู้ผลิต หรือเป็นตัวแทนจำหน่ายในประเทศไทย โดยให้ยื่นขณะเข้าเสนอราคา
18. รับประกันตัวเครื่องและอะไหล่ภายในตัวเครื่องไม่น้อยกว่า 1 ปี ยกเว้นวัสดุสิ้นเปลืองใช้แล้วหมดอายุ





## 2. อัตราค่าปรับ

กรณีและผู้ขายปฏิบัติผิดเงื่อนไข จะกำหนดค่าปรับเป็นรายวัน ในอัตราร้อยละ 0.20 ของราคาซื้อต่อวัน

## 3. ข้อกำหนดอื่น ๆ

ผู้ขายที่ได้รับการคัดเลือกจะต้องทำสัญญาซื้อขายตามแบบสัญญาซื้อขายกับมหาวิทยาลัย ภายใน 7 วัน นับถัดจากวันที่ได้รับหนังสือแจ้งและจะต้องวางหลักประกันสัญญาเป็นจำนวนเงินเท่ากับร้อยละ 5 ของราคาซื้อให้มหาวิทยาลัย ยึดถือไว้ขณะทำสัญญาโดยใช้หลักประกันอย่างใดอย่างหนึ่งต่อไปนี้

(1) เงินสด

(2) เช็คหรือตราพท์ที่ธนาคารเซ็นสั่งจ่ายให้แก่มหาวิทยาลัยศรีนครินทรวิโรฒ ซึ่งเป็นเช็คหรือตราพท์ลงวันที่ที่ใช้เช็คหรือตราพท์นั้นชำระต่อเจ้าหน้าทีในวันทำสัญญา หรือก่อนวันนั้นไม่เกิน 3 วันทำการ

(3) หนังสือค้ำประกันของธนาคารภายในประเทศ ตามตัวอย่างที่คณะกรรมการนโยบายกำหนด

(4) หนังสือค้ำประกันของบริษัทเงินทุน หรือบริษัทเงินทุนหลักทรัพย์ที่ได้รับอนุญาตให้ประกอบกิจการเงินทุนเพื่อการพาณิชย์และประกอบธุรกิจค้ำประกันตามประกาศของธนาคารแห่งประเทศไทยตามรายชื่อบริษัทเงินทุนที่ธนาคารแห่งประเทศไทยแจ้งเวียนให้ทราบ โดยอนุโลมให้ใช้ตัวอย่างหนังสือค้ำประกันของธนาคารที่คณะกรรมการนโยบายกำหนด

(5) พันธบัตรรัฐบาลไทยหลักประกันนี้จะคืนให้ โดยไม่มีดอกเบี้ยภายใน 15 วัน นับถัดจากวันที่ผู้ขายพ้นจากข้อผูกพันตามสัญญาซื้อขายแล้ว หลักประกันนี้จะคืนให้ โดยไม่มีดอกเบี้ย ตามอัตราส่วนของงานซื้อซึ่งมหาวิทยาลัยศรีนครินทรวิโรฒได้รับมอบไว้แล้ว

## 4. กำหนดเวลาส่งมอบพัสดุ

ผู้ขายจะต้องส่งมอบพัสดุไม่เกิน 30 วัน นับถัดจากวันลงนามในสัญญา

## 5. หลักเกณฑ์ในการพิจารณาคัดเลือกข้อเสนอ

การพิจารณาใช้หลักเกณฑ์ราคา

## 6. การกำหนดระยะเวลารับประกันความชำรุดบกพร่อง

ผู้ขายตกลงรับประกันความชำรุดบกพร่องหรือขัดข้องของพัสดุที่ขายและการติดตั้งตามสัญญาที่เกิดขึ้นภายในระยะเวลาไม่น้อยกว่า 1 ปี นับถัดจากวันที่ผู้ซื้อได้รับมอบโดยถูกต้องครบถ้วนตามสัญญา ถ้าภายในระยะเวลาดังกล่าวเกิดความชำรุดบกพร่องหรือขัดข้อง หรือใช้งานไม่ได้ทั้งหมด หรือแต่บางส่วน หรือเกิดความชำรุดบกพร่องหรือขัดข้องจากการติดตั้ง เว้นแต่ความชำรุดบกพร่องหรือขัดข้องดังกล่าวเกิดขึ้นจากความผิดของผู้ซื้อซึ่งไม่ได้เกิดขึ้นจากการใช้งานตามปกติ ผู้ขายจะต้องจัดการซ่อมแซมแก้ไขให้อยู่ในสภาพใช้งานได้ติดตั้งเดิม โดยต้องเริ่มจัดการซ่อมแซมแก้ไขภายใน 5 วัน นับถัดจากวันที่ได้รับแจ้งจากผู้ซื้อโดยไม่คิดค่าใช้จ่ายใดๆ จากผู้ซื้อทั้งสิ้น ถ้าผู้ขายไม่จัดการซ่อมแซมแก้ไข ภายในกำหนดเวลาดังกล่าว ผู้ซื้อมีสิทธิที่จะทำการนั้นเองหรือจ้างผู้อื่นทำการนั้นแทนผู้ขายโดยผู้ขายต้องออกค่าใช้จ่ายเองทั้งสิ้นแทนผู้ซื้อ



## 7. วงเงินงบประมาณ


จำนวนเงิน 300,000.- บาท (สามแสนบาทถ้วน) งบประมาณรายจ่าย จากเงินรายได้ ประจำปี  
งบประมาณ พ.ศ. 2567 แผนงาน : ยุทธศาสตร์พัฒนาศักยภาพคนตลอดช่วงชีวิต ผลผลิต : ผู้สำเร็จการศึกษาด้าน  
สังคมศาสตร์ งบประมาณ ค่าครุภัณฑ์ ของส่วนการคลัง

ลงชื่อ.....  .....ผู้จัดทำรายละเอียดคุณลักษณะเฉพาะ  
(นายพิชิต สุขศิลา)



## User friendly and efficient with low power consumption

The imageRUNNER ADVANCE DX C5800i series offers great usability and high productivity, aimed to support office digital needs. With great performance, the device serves as an ideal interface to connect to various solutions best suited for the business.



### WORKFLOW EFFICIENCY

- Intuitive touchscreen provides users with smartphone-like usability, making navigation a breeze.
- Industry leading Single-Pass document feeder allows up to 270 ipm scanning, supports paper skew prevention and comes with advanced anti-dust/streak measures.
- My ADVANCE enables a unique, personal experience tailored to meet each user's workflow needs. Settings, such as display language, initial log-in screen, and accessibility options, can be synchronised across multiple devices for consistency.
- Canon's MEAP platform provides process optimisation, by integrating with a range of powerful document, capture and output management solutions.
- Scalable support for mobile where users can connect directly to the device with Direct Access Point. Capture, scan or print documents easily with the Canon Print Business app.
- Intelligent features, such as motion sensor technology to wake the device from sleep mode and the ability to remove blank pages when scanning, help maximise productivity.
- Various finishing functions such as Staple-on-Demand, ECO-Staple, saddle stitch, double/corner stapling and foldings are available as an option.

### COST MANAGEMENT

- The ability to apply print policies, monitor output, and restrict usage by user helps reduce unnecessary printing, resulting in lower total document cost.
- Seamless integration with output management solutions, such as uniFLOW or uniFLOW Online Express for detailed tracking, reporting and cost analysis.
- Quality and reliability, combined with remote diagnostics and assistance, can help reduce costs by minimising downtime and time spent by IT.
- Consistent user operation combined with remote and centralised fleet management can help simplify IT management of devices and entire fleets.



**Business Can Be Simple**

## QUALITY AND RELIABILITY

- V<sup>2</sup> (Vivid & Vibrant) imaging technology ensures high quality printouts that impress time after time.
- Supreme transferability of toner and stable reproduction of colours onto a wide range of media, even at large volumes.
- State-of-the-art imaging technologies and toner allow for consistently striking images with 1,200 dpi print resolution.
- Canon's device management tools give you a centralised point of control across your entire fleet, upgrade devices remotely, check device and consumables status and capture meter readings.
- Remote diagnostics allow timely, accurate and effective resolution.
- Standard PCL and optional Adobe PostScript®3™ print driver allows seamless integration with enterprise applications.
- Intuitive user maintenance videos and status notifications available to help achieve maximum uptime and keep supplies replenished.

## SUSTAINABILITY

- Fusing technologies and innovative sleep mode features help lower overall energy consumption.
- Minimise paper wastage by holding jobs at the device with Force Hold Print. Choose to preview your print jobs or even change print settings at the device to achieve the desired results at the first time of printing.
- Consumes as little as 0.8W in sleep mode.

## SECURITY

- Control who has access to the device with different authentication methods such as picture login, department ID, user authentication and card access.
- Ensure information privacy and security across your network with IPsec, port filtering capabilities, and SSL technology.
- Enhance document confidentiality with encrypted secure print, secure print, secure watermark, encrypted PDF and device signature PDF.
- System verification at startup and McAfee® Embedded Control ensures device security, protecting against malware and tampering of firmware.
- Integrate with third-party solutions for complete monitoring protection.

# MACHINE SPECIFICATION

## MAIN UNIT

**Type**  
A3 Colour Laser Multifunctional

**Core Function**  
Print, Copy, Scan, Send, Store and Optional Fax

**Processor**  
Canon Dual Custom Processor (Shared)

**Control Panel**  
10.1" TFT LCD WSVGA Colour Touchpanel

**Memory**  
**RAM:** Main CPU: 2 GB  
Image processing CPU: 2GB + 1GB

**Storage**  
**Standard :** (SSD) 256GB  
**Optional :** (SSD) 1TB

**Interface Connection**  
**Network**  
Standard : 1000Base-T/100Base-TX/10Base-T,  
Wireless LAN (IEEE 802.11 b/g/n)

Optional : NFC, Bluetooth Low Energy  
**Others**  
Standard : USB 2.0 x1 (Host) x1, USB 3.0 x1 (Host),  
USB 2.0 x1 (Device)  
Optional : Serial Interface, Copy Control Interface

### Paper Supply Capacity (A4, 80gsm)

**Standard :** 1,200 sheets  
1 x 100-sheet multi-purpose tray  
2 x 550-sheet cassettes  
**Maximum :** 6,350 sheets (with High Capacity Cassette  
Feeding Unit-C1 & Paper Deck Unit-F1)

### Paper Output Capacity (A4, 80gsm)

**Standard :** 250 Sheets  
**Maximum :** 3,450 Sheets (with Staple Finisher-AB1 or  
Booklet Finisher-AB1 and 3rd Copy Tray Kit-A1)

### Finishing Capabilities\*

**Standard :** Collate, Group  
**With Options :** Collate, Group, Offset, Staple, Saddle Stitch,  
Hole Punch, Eco Staple, Staple-On-Demand

\*Finishing capabilities vary depending on the options connected.

### Supported Media Types

**Multi-purpose tray:**  
Thin, Plain, Recycled, Color, Heavy, Coated, Tracing, Bond,  
Transparency, Label, Pre-punched, Letterhead, Tab, Envelope

**Paper Cassette (Upper/Lower):**  
Thin, Plain, Recycled, Color, Heavy, Bond, Transparency, Pre-  
punched, Letterhead, Envelope

\*Envelope Feeder Attachment (not standard) is required.

### Supported Media Sizes

**Multi-purpose tray:**  
**Standard size :** SRA3, A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R  
**Custom size :** 98.0 x 139.7 mm to 320.0 x 457.2 mm  
**Free size :** 98.0 x 139.7 mm to 320.0 x 457.2 mm  
**Envelopes :** COM10 No.10, Monarch, ISO-C5, DL  
**Envelope custom size :** 98.0 x 90.0 mm to 320.0 x 457.2 mm

### Upper Cassette:

**Standard size :** A4, A5, A5R, A6R, B5  
**Custom Size :** 98.0 x 148.0 mm to 297.0 x 215.9 mm  
**Envelopes :** COM10 No.10, Monarch, DL, ISO-C5

### Lower Cassette:

**Standard size :** A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R  
**Custom size :** 98.0 x 148.0 mm to 304.8 x 457.2 mm  
**Envelopes :** COM10 No.10, Monarch, DL, ISO-C5

### Supported Media Weights

**Multi-purpose tray :** 52 to 300 gsm  
**Paper Cassette (Upper/Lower) :** 52 to 256 gsm  
**Duplex :** 52 to 256 gsm

### Warm-up Time

**Quick Startup Mode :** 4 Seconds or less<sup>\*1</sup>  
**IR-ADV DX C5870i :** 7 Seconds or less  
**IR-ADV DX C5860i/C5850i/C5840i :**  
6 Seconds or less<sup>\*\*2</sup>  
**From Power On :** 6 Seconds or less<sup>\*\*2</sup>

\*1 Time from device power-on to when the copy icon appears and  
is enabled to operate on the touch panel display.

\*2 Time from device power-on, until copy ready (not print reservation)

### Dimensions (W x D x H)

620 mm x 722 mm x 937 mm

### Installation Space (W x D)

**Basic:** 1,138 x 1,162 mm (Right Cover Open with Multi-  
purpose tray extended + Cassette Drawers Open)  
**Fully Configured:** 1,866 x 1,162 mm (Staple Finisher-AB1/  
Booklet Finisher-AB1 with the extension tray extended +  
Paper Deck Unit-F1 + Cassette Drawers open)

### Weight\*

**IR-ADV DX C5870i :** Approx. 110 kg  
**IR-ADV DX C5860i/C5850i :** Approx. 107 kg  
**IR-ADV DX C5840i :** Approx. 106 kg

\*Including regular toner

## Printing Specifications

### Print Speed (BW and CL)

**IR-ADV DX C5870i up to :** 70 ppm (A4, A5\*, A5R, A6R\*),  
36 ppm (A3), 42 ppm (A4R)  
**IR-ADV DX C5860i up to :** 60 ppm (A4, A5\*, A5R, A6R\*),  
32 ppm (A3), 36 ppm (A4R)  
**IR-ADV DX C5850i up to :** 50 ppm (A4, A5\*, A5R, A6R\*),  
27 ppm (A3), 30 ppm (A4R)  
**IR-ADV DX C5840i up to :** 40 ppm (A4, A5\*, A5R, A6R\*),  
21 ppm (A3), 24 ppm (A4R)

\*1-sided only

**Print Resolution (dpi) :** 1,200 x 1,200

### Page Description Languages

**Standard :** UFR II, PCL6  
**Option :** Adobe® PostScript®3™

### Direct Print

**Supported file Types:** PDF, EPS, TIFF/JPEG and XPS

### Printing from mobile and cloud

AirPrint, Mopria, Canon PRINT Business, and uniFLOW Online

### Fonts

**PCL fonts:** 93 Roman, 10 Bitmap fonts, 2 OCR fonts,  
Andalé Mono WT J/K/S/T\* (Japanese, Korean,  
Simplified and Traditional Chinese), Barcode fonts\*\*  
**PS fonts:** 136 Roman

\*1 Requires optional PCL INTERNATIONAL FONT SET-A1

\*\*2 Requires optional BARCODE PRINTING KIT-D1

### Operating System

**UFR II:** Windows® 8.1/10/Server2012/Server2012 R2/  
Server2016/Server2019, Mac OS X(10.11 or later)  
**PCL:** Windows® 8.1/10/Server2012/Server2012 R2/  
Server2016/Server2019  
**PS:** Windows® 8.1/10/Server2012/Server2012 R2/  
Server2016/Server2019, Mac OS X(10.11 or later)  
**PPD:** Windows® 8.1/10, Mac OS X(10.10 or later)

## Copy Specifications

### Copy Speed (BW and CL)

**IR-ADV DX C5870i up to :** 70 ppm (A4, A5\*, A5R, A6R\*),  
36 ppm (A3), 42 ppm (A4R)  
**IR-ADV DX C5860i up to :** 60 ppm (A4, A5\*, A5R, A6R\*),  
32 ppm (A3), 36 ppm (A4R)  
**IR-ADV DX C5850i up to :** 50 ppm (A4, A5\*, A5R, A6R\*),  
27 ppm (A3), 30 ppm (A4R)  
**IR-ADV DX C5840i up to :** 40 ppm (A4, A5\*, A5R, A6R\*),  
21 ppm (A3), 24 ppm (A4R)

\*1-sided only

### First-Copy-Out Time (A4, BW/CL)

**IR-ADV DX C5870i:** Approx. 2.7/3.7 seconds or less  
**IR-ADV DX C5860i:** Approx. 2.9/4.2 seconds or less  
**IR-ADV DX C5850i:** Approx. 3.4/4.9 seconds or less  
**IR-ADV DX C5840i:** Approx. 4.1/6.1 seconds or less

### Copy Resolution (dpi) 600 x 600

**Multiple Copies** Up to 999 copies

**Copy Density** Automatic or Manual (9 Levels)

### Magnification

**Variable zoom:** 25% to 400% (1% Increments)  
**Freset reduction/enlargement:** 25%, 50%, 61%, 70%, 81%,  
86%, 100%(1:1), 115%, 122%, 141%, 200%, 400%

## Scan Specifications

### Type

Single-pass Duplexing Automatic Document Feeder  
[2-sided to 2-sided (Automatic)]

\* Detect Feeder Multi Sheet Feed is supported.

### Document Feeder Paper Capacity (80gsm)

Up to 200 Sheets

### Acceptable Originals and Weights

**Platen:** Sheet, Book and 3-Dimensional Objects  
**Document Feeder media weights (BW, CL):**  
1-sided scanning: 38 to 220 gsm  
2-sided scanning: 38 to 220 gsm

\*An acceptable weight of A6R or smaller is 50 to 220gsm.

**Supported Media Sizes**  
Platen scanning size: 297.0 x 431.8 mm  
Document Feeder media size:  
A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R, B6R  
Custom size: 70.0 x 139.7 mm to 304.8 x 431.8 mm

**Scan Speed (A4, BW/CL)**  
1-sided Scanning (ipm) : 135/135 (300 x 300 dpi, send),  
80/80 (600 x 600 dpi, copy)  
2-sided Scanning (ipm) : 270/270 (300 x 300 dpi, send),  
160/160 (600 x 600 dpi, copy)

**Scan Resolution (dpi)**  
Scan for Copy : 600 x 600  
Scan for Send : (Push) 600 x 600 (SMB/FTP/WebDAV/  
iFAX), (Pull) 600 x 600  
Scan for Fax : 600 x 600

**Pull Scan Spec**  
Color Network ScanGear2. For both TWAIN and WIA  
Supported OS: Windows® 8.1/10/Server2012/Server2012  
R2/Server 2016

## Send Specifications

**Destination**  
Standard: E-mail/Internet FAX (SMTP), SMB 3.0,  
FTP, WebDAV, Mail Box  
Optional: Super G3 FAX, IP Fax

**Address Book**  
LDAP (2,000)/Local (1,600)/One-touch (200)

**Send Resolution (dpi)**  
Push : up to 600 x 600  
Pull : up to 600 x 600

**Communication Protocol**  
File : FTP (TCP/IP), SMB 3.0 (TCP/IP), WebDAV  
E-mail/i-Fax : SMTP, POP3

**File Format**  
Standard: TIFF, JPEG, PDF (Limited Color, Compact,  
Searchable, Apply policy, Optimize for Web,  
PDF/A-1b, Trace & Smooth, Encrypted, Device  
Signature, User Signature), XPS (Compact,  
Searchable, Device Signature, User Signature),  
Office Open XML (PowerPoint, Word)

## Fax Specifications

**Maximum Number of Connection Lines** 4

**Modern Speed**  
Super G3 : 33.6 kbps  
G3 : 14.4 kbps

**Compression Method** MH, MR, MMR, JBIG

**Resolution (dpi)**  
400x400 (Ultra Fine),  
200x400 (Super Fine),  
200x200 (Fine),  
200x100 (Normal)

**Sending/Receiving Size**  
Sending : A3, A4, A4R, A5\*, A5R\*, B4, B5\*, B5R\*  
Receiving : A3, A4, A4R, A5R, B4, B5, B5R  
\*1 Sent as A4 \*2 Sent as B4 short

**FAX Memory** Up to 30,000 pages (2,000 jobs)

**Speed Dials** Max. 200

**Group Dials/Destinations** Max. 199 dials

**Sequential Broadcast** Max. 256 addresses

**Memory Backup** Yes

## Store Specifications

**Mail Box**  
100 User Inboxes, 1 Memory RX Inbox,  
50 Confidential Fax Inboxes  
Maximum 10,000 Pages (2,000 jobs) Stored

**Advanced Box**  
Communication Protocol: SMB or WebDAV  
Supported Client PC: Windows® 8.1/10  
Concurrent Connections (Max.): SMB: 64, WebDAV: 3

**Advanced Box available disc space**  
Approx. 16GB (Standard)  
Approx. 480GB (with option)

## Security Specifications

**Authentication and Access Control**  
**User Authentication** (Picture Login, Picture and PIN  
Login, Card Login, Username and Password Login, Function  
Level Login, Mobile Login)  
**Department ID Authentication** (Department ID and PIN  
Login, Function Level Login)  
**uniFLOW Online Express** (PIN Login, Picture Login, Picture  
and PIN Login, Card Login, Card and PIN Login, Username  
and Password Login, Department ID and PIN Login,  
Function Level Login)  
**Access Management System** (Access Control)  
**Document Security**  
**Print Security** (Secure Print, Encrypted Secure Print,  
Force Hold Printing, uniFLOW Secure Print)  
**Receive Data Security** (Confidential Fax Inbox Forwarding  
Received Documents Automatically)

**Scan Security** (Encrypted PDF, Device Signature PDF/  
XPS, User Signature PDF/XPS, Adobe LiveCycle® Rights  
Management ES2.5 Integration)  
**BOX Security** (Mail Box Password Protected, Advanced  
Box Access Control)  
**Send Data Security** (Setting for requesting password  
input per transmission, Restricted E-mail/File send  
functions, Confirming FAX number, Allow/Restrict Fax  
Driver Transmissions, Allow/Restrict Sending from History,  
S/MIME Support)  
**Document Tracking** (Secure Watermark)  
\*1 Requires uniFLOW Online/uniFLOW

**Network Security**  
TLS 1.3, IPsec, IEEE802.1X authentication, SNMP V3.0,  
Firewall Functionality (IP/MAC Address Filtering), Dual  
Network Support (Wired LAN/Wireless LAN, Wired LAN/  
Wireless LAN), Disabling Unused Functions (Enabling/  
Disabling Protocols/Applications, Enabling/Disabling  
Remote UI, Enabling/Disabling USB Interface), G3 FAX  
separation from LAN, USB Port separation from LAN,  
Prohibit the execution of files stored in Advanced Box in the  
MFP, Scan and Send -Virus Concerns for E-mail Reception

**Device Security**  
Protecting SSD Data [SSD Data Encryption (FIPS140-2  
Validated), SSD Lock], Standard SSD Initialize, Trusted  
Platform Module (TPM), Job Log Conceal Function,  
Protecting MFD Software Integrity, Checking MFD Software  
Integrity (Verify System at Startup, Runtime Intrusion  
Detection), HCD-PP

**Device Management and Auditing**  
Administrator Password, Digital Certificate And Key  
Management, Audit Log, Cooperating with External  
Security Audit System (Security Information and Event  
Management), Image Data Logging, Security Policy  
Setting

## Environment Specifications

**Operating Environment**  
Temperature: 10 to 30 °C  
Humidity: 20 to 80 % RH (Relative Humidity)

**Power Requirements**  
Power Source: 220-240 V, 50/60 Hz, 6 A

**Power Consumption**  
Maximum: Approx. 2,000 W (iR-ADV DX C5870i)  
Approx. 1,800 W (iR-ADV DX C5860i/C5850i/  
C5840i)  
Copying (with DADF continuous scan): Approx. 943 W\*1  
Standby: Approx. 53.4W\*\*  
Sleep mode: Approx. 0.8 W\*\*

\*1 Reference Value; measured one unit  
\*2 0.8W is not available in all circumstances due to certain settings.

## Consumables

**Toner** NPG-83 Toner BK/C/M/Y  
NPG-83L Toner C/M/Y

**Toner Yield (Estimated Yield @5% Coverage)**  
NPG-83 Toner BK : 71,000 pages  
NPG-83 Toner C/M/Y : 60,000 pages  
NPG-83L Toner C/M/Y : 26,000 pages

## Software and Printer Management

**Tracking and reporting**  
Universal Login Manager (ULM)  
uniFLOW Online Express

**Remote Management Tools**  
iW Management Console  
eMaintenance  
Content Delivery System

**Scanning Software**  
Network ScanGear

**Optimisation Tools**  
Canon Driver Configuration Tool

**Platform**  
MEAP (Multifunctional Embedded Application Platform)

**Document Publishing**  
iW DESKTOP

## Paper Supply Options

**Cassette Feeding Unit-AQ1**  
Paper Capacity : 550 Sheets x 2(80gsm)  
Paper Type : Thin, Plain, Heavy, Color, Recycled,  
Pre-punched, Transparency, Bond,  
Letterhead  
Paper Size : A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R  
Custom Size : 98.0 x 148.0 mm to 304.8 x 457.2mm  
Paper Weight : 52 to 256 gsm  
Dimensions : 620 mm x 660 mm x 251 mm  
(W x D x H) (attached to the main unit)  
Weight : Approx. 22 kg

**High Capacity Cassette Feeding Unit-C1**  
Paper Capacity : 2,450 sheets (80gsm)  
Paper Type : Thin, Plain, Heavy, Color, Recycled,  
Pre-punched, Bond, Letterhead  
Paper Size : A4  
Paper Weight : 52 to 256 gsm  
Power Source : From the Main Unit  
Dimensions : 620 mm x 660 mm x 251 mm  
(W x D x H) (attached to the main unit)  
Weight : Approx. 29 kg

**Paper Deck Unit-F1**  
Paper Capacity : 2,700 sheets (80gsm)  
Paper Type : Thin, Plain, Heavy, Color, Recycled,  
Pre-punched  
Paper Size : A4, B5  
Paper Weight : 52 to 256 gsm  
Power Source : From the Main Unit  
Dimensions : 344 mm x 630 mm x 440 mm  
(W x D x H) (attached to the main unit)  
Weight : Approx. 31 kg

## Hardware Accessories

**Card Readers**  
IC CARD READER BOX FOR NUMERIC KEYPAD-A1  
COPY CARD READER-F1  
COPY CARD READER ATTACHMENT-B7

**Others**  
TAB FEEDING ATTACHMENT KIT-F1  
UTILITY TRAY-B1  
BUFFER PASS UNIT-P1  
NUMERIC KEYPAD-A2

## Security Options

**Data Security**  
250GB SSD-A1  
1TB SSD-A1  
MEMORY MIRRORING KIT-A1

## System and Controller Options

**Print Accessories**  
PCL INTERNATIONAL FONT SET-A1  
PCL ASIAN FONT SET-A1  
PS PRT KIT-BE1

**Barcode Printing**  
BARCODE PRINTING KIT-D1

**Efi-Fiery Based Controller**  
imagePASS-R1

**Efi-Fiery Based Controller Options**  
FIERY IMPOSE  
FIERY COMPOSE  
FIERY IMPOSE AND COMPOSE  
HOT FOLDERS LICENSE

**System Accessories**  
COPY CONTROL INTERFACE KIT-A1  
SERIAL INTERFACE KIT-K3  
CONNECTION KIT-A3 FOR BLUETOOTH LE  
NFC KIT-E2

**FAX Accessories**  
SUPER G3 FAX BOARD-AX1  
SUPER G3 2ND LINE FAX BOARD-AX1  
SUPER G3 3RD/4TH LINE FAX BOARD-AX1  
REMOTE FAX KIT-A1  
IP FAX EXPANSION KIT-B1

## Other Options

**Accessibility Accessories**  
ADF ACCESS HANDLE-A1  
VOICE GUIDANCE KIT-G1  
VOICE OPERATION KIT-D1

**Staple Cartridge**  
STAPLE-P1  
STAPLE CARTRIDGE-Y1

For full specifications, please refer to the specification table on your local Canon web site.



# MAIN CONFIGURATION OPTIONS

## BOOKLET FINISHER-AB1

- 2-tray, 3,250-sheet capacity
- Corner and double stapling up to 50 sheets (80gsm)
- Booklet-making up to 20 sheets and non-staple saddle folded capacity up to 3 sheets (A3/A4R)
- Supports ECO-Staple 8 sheets (80gsm) and Staple-on-Demand 50 sheets (80gsm)
- Supports optional external 2/3 Hole Puncher unit-A1 and 2/F4 Hole Puncher Unit-A1



## INNER 2 WAY TRAY-M1

- 2-tray, 350-sheet capacity
- Separates copies, prints and faxes
- Adds a second internal output tray



## BUFFER PASS UNIT-P1

- Inner tray, 100-sheet capacity
- Transports paper to external finisher



## INNER FINISHER-L1\*


- 2-tray, 545-sheet capacity
- Corner and double stapling up to 50 sheets (80gsm)
- Supports ECO-Staple 8 sheets (80gsm) and Staple-on-Demand 40 sheets (80gsm)
- Supports optional Inner 2/3 Hole Puncher-D1 and Inner 2/F4 Hole Puncher-D1

\*not compatible with iR-ADV DX C5870i



## STAPLE FINISHER-AB1

- 2-tray, 3,250-sheet capacity
- Corner and double stapling up to 50 sheets (80gsm)
- Supports ECO-Staple 8 sheets (80gsm) and Staple-on-Demand 50 sheets (80gsm)
- Supports optional external 2/3 Hole Puncher unit-A1 and 2/F4 Hole Puncher Unit-A1





## CASSETTE FEEDING UNIT-AQ1

- Supports up to A3
- Media weight 52-256gsm
- 2 x 550 sheets (80gsm)



## HIGH CAPACITY CASSETTE FEEDING UNIT-C1

- Supports A4
- Media weight 52-256gsm
- 2,450 sheets (80gsm)




## 3RD COPY TRAY KIT-A1

- 100-sheet capacity



## PAPER DECK UNIT-F1

- Supports A4 and B5
- Media weight 52-256 gsm
- 2,700 sheets (80 gsm)



## imagePASS-R1 (Embedded)

- PDL · PCL/Adobe®PostScript®3™
- MEMORY · 4GB/500GB
- SYSTEM · FS400

- Delivers fast processing speed, outstanding image quality, and time-saving workflow
- Integrates print production workflows with EFI™ management information systems, Web-to-Print systems, and popular prepress workflows for end-to-end automation



Partner/Dealer Stamp



To arrange for a demonstration, simply contact any of our offices below.

**SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS**

Canon Singapore Pte. Ltd. | 1 Fusionopolis Place #14-10 Galaxis Singapore 138522  
Tel: 65-6799 8888 | Fax: 65-6799-8882 | <https://asia.canon/> | <https://sg.canon/>

This document is for general information only and contents are subject to change without notice. Errors and omissions excepted. Weights and dimensions are approximates. Options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations in connection with this document. Trademarks belong to their respective owners.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners. uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.

Adobe, PostScript, PostScript 3 and the PostScript logo are trademarks of Adobe Systems Incorporated

0223W665 © 2021 Canon Singapore Pte. Ltd.  
All rights reserved. Printed in Singapore.



# Thai Green Label

Thai Industrial Standards Institute and Thailand Environment Institute  
Jointly congratulate

## Canon Marketing (Thailand) Co., Ltd.

For successfully meeting the requirements of the Thai Green Label for:

- Product Category : **Printers and Copiers (TGL-124-20)**
  - Certification Scheme : **A1**
  - Trademark : **Canon**
  - Model : **Multifunction copiers**
1. **imageRUNNER ADVANCE DX 6855i**
  2. **imageRUNNER ADVANCE DX 6860i**
  3. **imageRUNNER ADVANCE DX 6870i**
  4. **imageRUNNER ADVANCE DX C5840i**
  5. **imageRUNNER ADVANCE DX C5850i**
  6. **imageRUNNER ADVANCE DX C5860i**
  7. **imageRUNNER ADVANCE DX C5870i**
- Factory : **Canon Prachinburi (Thailand) Ltd.**  
**550 Moo 7, Thatoom Sub-district, Srimahaphote District, Prachinburi 25140**

This product has been certified as meeting all the criteria necessary to carry  
The Thai Green Label under the following conditions

Certificate Number: **GL2023/038-3**      Registration Date: **2/09/2023**      Valid Until : **1/09/2024**



**TISI**

*W. Sim*

Dr. Wijarn Simachaya  
President of Thailand Environment Institute



**Thailand Environment Institute Foundation (TEI)**  
16/151 Muang Thong Thani, Bond Street Rd., Bangpood, Pakkred, Nonthaburi 11120

## Certificate of Origin in Canon MFD products

This letter is to certify the place of manufacture of the following below Canon products:

Product Name	Mercury Code	Place of manufacture
imageRUNNER 2925i	5976C007AA	Canon Prachinburi Thailand (CPT)
imageRUNNER 2930i	5975C007AA	
imageRUNNER 2935i	5974C007AA	
imageRUNNER 2945i	5973C007AA	
imageRUNNER C3222L	4893C003AA	
imageRUNNER C3226i	4909C007AA	
imageRUNNER C3326i	5965C007AA	
imageRUNNER ADVANCE DX 4925i	5972C007AA	
imageRUNNER ADVANCE DX 4935i	5971C007AA	
imageRUNNER ADVANCE DX 4945i	5970C007AA	
imageRUNNER ADVANCE DX 6855i	5538C006AA	
imageRUNNER ADVANCE DX 6860i	4963C006AA	
imageRUNNER ADVANCE DX 6870i	4962C006AA	
imageRUNNER ADVANCE DX C3922i	5964C007AA	
imageRUNNER ADVANCE DX C3926i	5963C007AA	
imageRUNNER ADVANCE DX C3930i	5962C007AA	
imageRUNNER ADVANCE DX C3935i	5961C007AA	
imageRUNNER ADVANCE DX C5840i	3827C006AA	
imageRUNNER ADVANCE DX C5850i	3826C006AA	
imageRUNNER ADVANCE DX C5860i	3825C006AA	
imageRUNNER ADVANCE DX C5870i	3824C006AA	

Thank you.

Yours Sincerely,

*N. Nakao*



**Naoko Nakao**  
Senior Manager  
Regional Business Imaging Solution Division  
Canon Singapore Pte. Ltd.





## คุณสมบัติเครื่องถ่ายเอกสารระบบดิจิทัล ความเร็วไม่น้อยกว่า 40 แผ่นต่อนาที(A4)

1. เครื่องถ่ายเอกสารระบบดิจิทัลทำภาพด้วยระบบเลเซอร์
2. เป็นของใหม่ไม่เคยใช้งานมาก่อนพร้อมใช้งานได้ทันที
3. ความเร็วในการถ่ายเอกสาร/พิมพ์ขาวดำ 40 แผ่น/นาที สี 40 แผ่น/นาที(A4)
4. ระยะเวลาในการอุ่นเครื่องไม่มากกว่า 6 วินาที ระยะเวลาพิมพ์ขาวดำแผ่นแรกไม่เกิน 4.1 วินาที ระยะเวลาพิมพ์สีแผ่นแรกไม่เกิน 6.1 วินาที
5. ระบบการถ่ายเอกสารเป็นแบบสแกนเอกสารต้นฉบับเพียงครั้งเดียวพิมพ์สำเนาได้หลายแผ่น
6. ระบบพวงหมึกแห้ง ไม่ต้องเติมผงแม่เหล็กปลอดภัยต่อผู้ใช้งาน
7. มีหน่วยความจำ(Ram) จำนวน 5 (GB) และ Hard Disk 256 GB (SSD)
8. สามารถทำงานเป็นเครื่องพิมพ์เลเซอร์ และสแกนเนอร์สีผ่านระบบเครือข่ายได้
9. ความเร็วในการสแกน ไม่น้อยกว่า 270 หน้าต่อนาที(A4) ที่ความละเอียด 300 x 300 dpi
10. รองรับภาษาการพิมพ์ UFR II และ PCL ได้เป็นอย่างดี
11. ความละเอียดในการถ่ายเอกสาร 600 x 600 จุดต่อนิ้ว  
ความละเอียดในการพิมพ์เอกสาร 1,200 x 1,200 จุดต่อนิ้ว
12. มีชุดป้อนต้นฉบับอัตโนมัติได้ครั้งละ 200 แผ่น พร้อมระบบกลับหน้าหลังอัตโนมัติ
13. ตั้งจำนวนการถ่ายเอกสารได้ 1 - 999 แผ่น
14. มีถาดบรรจุกระดาษด้านหน้าไม่น้อยกว่า 2 ถาด สามารถบรรจุกระดาษได้รวม 1,100 แผ่น พร้อมช่องป้อนมี้อด้านข้าง(bypass) 1 ถาด บรรจุกระดาษได้ไม่น้อยกว่า 100 แผ่น
15. มีระบบย่อ-ขยายเอกสารได้ 25% - 400%
16. รองรับน้ำหนักกระดาษได้ 52 ถึง 300 แกรม หรือดีกว่า
17. สามารถถ่ายต้นฉบับใหญ่สุดขนาด A3 สำเนาที่ได้ตั้งแต่ A5 - A3
18. หน้าจอควบคุมแบบสัมผัสแสดงผลเป็นสี ขนาดความกว้างไม่น้อยกว่า 10.1 นิ้ว สามารถเลื่อนสไลด์ซ้าย ขวา ขึ้น ลง และสามารถซูมย่อขยายหน้าจอได้
19. ผลิตภายในประเทศไทย (Made in Thailand) โดยต้องมีหนังสือรับรองมาแสดง
20. ใช้กระแสไฟฟ้า 220 โวลท์



เอกสารแนบท้ายสัญญาซื้อขาย เลขที่ ๓๐๐๐๕๑๓๑๘ ลงวันที่ ๓๐ พฤษภาคม ๒๕๖๗

ผนวก ๒  
ใบเสนอราคา

๑. ใบเสนอราคาบริษัท แคนนอน มาร์เก็ตติ้ง (ไทยแลนด์) จำกัด  
ลงวันที่ ๑๗ พฤษภาคม ๒๕๖๗


จำนวน ๑ หน้า

ลงชื่อ.....



ผู้ขาย

ลงชื่อ.....



ผู้ซื้อ

เลขประจำตัวผู้เสียภาษี / TAX I.D. No. 0105537006439

00L9882

## ใบเสนอราคา QUOTATION

Home Page : <http://www.canon.co.th>

No. FR-MKT-16 Rev. 01

เลขที่ / No. :

เรียน / To : เจ้าหน้าที่

มหาวิทยาลัยศรีนครินทรวิโรฒ

114 ถนนสุขุมวิท 23 (ประสานมิตร)

แขวงคลองเตยเหนือ

เขตวัฒนา

กรุงเทพฯ

โทร / Tel : 02-6495000 ต่อ 12703 (คุณกนกรัตน์) แฟกซ์ / Fax :

วันที่ / Date : 17 พ.ค. 2567

หน้า / Page : 1 of 1

อ้างอิง / Ref :

ลำดับ Item	รายการ Description	จำนวน Quantity	หน่วย UOM	ราคาต่อหน่วย Unit Price	จำนวนเงิน Amount
1	เครื่องถ่ายเอกสารระบบดิจิทัล (ขาว-ดำ และสี) ความเร็วไม่น้อยกว่า 40 แผ่น/นาที จำนวน 1 เครื่อง ยี่ห้อแคนนอน รุ่น IR-ADV DX C5840i	1	เครื่อง	220,000.00	220,000.00
สองแสนสามหมื่นห้าพันสี่ร้อยบาทถ้วน Two Hundred Thirty Five Thousand Four Hundred Baht and Zero Satang					
				ราคารวมสินค้า Total Price	220,000.00
				ภาษีมูลค่าเพิ่ม 7% VAT	15,400.00
				รวมเป็นเงินทั้งสิ้น (บาท) Total Amount (Baht)	235,400.00

กำหนดชำระเงิน / Term of Payment

30 วัน / Day(s)

กำหนดส่งของ / Delivery

15 วัน / Day(s)

กำหนดยื่นราคา / Validity

30 วัน / Day(s)

การรับประกัน / Warranty

12 เดือน / Month(s)

เสนอโดย : นาย พงศกร กรองทอง

ผู้อนุมัติ :

Proposed by :

Approved by :

โทร / Tel. : 0851110434

ผู้จัดการฝ่ายขาย / Sales Manager

"Customer understands that the Service Provider will collect, use, and disclose any personal data that the Service Provider received from Customer to the leasing company for the purpose of providing the lease/rental price which related to this quotation, product presentations, and other services of the Service Provider to Customer, including other purposes which related to sales, service or lease/rental transaction as the Service Provider deems appropriate. Customer acknowledges that if Customer cannot accept these terms and conditions, the Service provider reserves the right to enter into sales, service or lease/rental transactions with Customer."

"ลูกค้าเข้าใจดีว่า ผู้ให้บริการ จะเก็บรวบรวม ใช้ และเปิดเผยข้อมูลส่วนบุคคลใดๆ ที่ลูกค้าส่งมอบให้กับผู้ให้บริการกับบริษัทผู้ให้บริการ เพื่อวัตถุประสงค์ในการนำเสนอราคาเช่าตามใบเสนอราคาเช่าตามใบเสนอราคาเช่า ตลอดจนการนำเสนอสินค้าและบริการของผู้ให้บริการแก่ลูกค้า รวมถึงวัตถุประสงค์อื่นๆ ที่เกี่ยวข้องกับการทำการรวมการขาย การบริการ หรือการเช่าตามใบเสนอราคาเช่าจากผู้ให้บริการที่ผู้ให้บริการเห็นสมควร ลูกค้ารับทราบดีว่า หากไม่สามารถยอมรับข้อกำหนดและเงื่อนไขนี้ ผู้ให้บริการสามารถส่งมอบสิทธิการทำการรวมการขาย การให้บริการ หรือการเช่ากับทางลูกค้าได้"

หากท่านอนุมัติใบเสนอราคาฉบับนี้ กรุณากรอกชื่อ / ประทับตราบริษัท และส่งแฟกซ์กลับ ที่หมายเลข Fax : 0-2344-9922 Ext.(Sales) : 2313

Please fax your approval to the address with authorized signature / company stamp to Fax : 0-2344-9922 Ext.(Sales) : 2313

ผู้อนุมัติการสั่งซื้อ / ประทับตราบริษัท  
Authorized signature / Company stamp

วันที่

Date

2000045561